

# La importancia de las hembras en el monitoreo del piojo de mar

Sandra Bravo

Instituto de Acuicultura, Universidad Austral de Chile, Puerto Montt, Chile.

sbravo@uach.cl

I+D+i

- Bravo S. 2010. The reproductive output of sea lice *Caligus rogercresseyi* under controlled conditions. *Experimental Parasitology* 125:51– 54.
- Bravo S., Erranz F., Lagos C. 2009. A comparison of sea lice (*Caligus rogercresseyi*) fecundity in four areas in southern of Chile. *Journal of Fish Diseases* 32: 107-113.
- Bravo S., Sevatdal S., Horsberg T.E. 2008. Sensitivity assessment of *Caligus rogercresseyi* to emamectin benzoate in Chile. *Aquaculture* 282: 7–12.
- Brooker A.J., Skern-Mauritzen R., Bron J.E. 2018. Production, mortality, and infectivity of planktonic larval sea lice, *Lepeophtheirus salmonis* (Kroyer, 1837): current knowledge and implications for epidemiological modelling. *ICES Journal of Marine Science* 75:1214–1234
- Vormedal I., Larsen M.L. 2021. Regulatory Processes for Setting Sensitive-Period Sea-lice Thresholds in Major Salmon Producer Jurisdictions: An Evaluation. The Fridtjof Nansen Institute (FNI) 25 pp.
- Wootton R., Smith J.W., Needham E.A. 1982. Aspects of the biology of the parasitic copepods *Lepeophtheirus salmonis* and *Caligus elongatus* on farmed salmonids, and their treatment. *Proc. R. Soc. Edinb. Sect., B*, 81: 185-197.