

Caracterización de los centros tratados por tenacibaculosis en las regiones de Los Lagos y Aysén

Cristian Acuña

Unidad de Acuicultura Sernapesca, Región de la Araucanía, Temuco

ceagiusti@gmail.com

- Abdel-Latif, H. 2013. Assessment of potential pathogenicity of emergent marine bacterium, *Tenacibaculum maritimum* to thin lipped grey mullet (*Mugil capito*) farmed in Egypt. Group, 1: 10.
- ADL. 2024. Tenacibaculosis en la salmonicultura chilena. Norma Técnica N° 8. ADL Diagnostics Chile. [<https://www.adldiagnostic.cl/images/fichas/Nota%20t%C3%A9cnica%20-%20Tenacibaculosis.pdf>].
- Apablaza, P., Frisch, K., Brevik, Ø. & Småge, S. 2017. Primary isolation and characterization of *Tenacibaculum maritimum* from Chilean Atlantic salmon mortalities associated with a *Pseudochattonella* spp. algal bloom. J. Aquat. Anim. Health., 29: 143-149.
- Avendaño-Herrera, R., Toranzo, A. & Magariños, B. 2006. Tenacibaculosis infection in marine fish caused by *Tenacibaculum maritimum*: A review. Dis. Aquat. Organisms., 71: 255-266.
- Avendaño-Herrera, R., Núñez, S., Barja, J. & Toranzo A. 2008. Evolution of drug resistance and minimum inhibitory concentration to enrofloxacin in *Tenacibaculum maritimum* strains isolated in fish farms. Aquacult. Int., 16: 1-11.
- Avendaño-Herrera, R., Irgang, R., Sandoval, C., Moreno-Lira, P., Houel, A., Duchaud, E., Poblete-Morales, P., Nicolás & P., Ilardi, P. 2016. Isolation, characterization and virulence potential of *Tenacibaculum dicentrarchi* in salmonid cultures in Chile. Transboundary and Emerging Diseases., 63: 121-126.
- Avendaño-Herrera, R., Collarte, C., Saldarriaga-Córdoba, M. & Irgang, R. 2020. New salmonid hosts for *Tenacibaculum* species: Expansion of tenacibaculosis in Chilean aquaculture. J. Fish Dis., 43: 1077-1085.
- Avendaño-Herrera, R., Olsen, A., Saldarriaga-Córdoba, M., Colquhoun, D., Duchaud, E. & Irgang, R. 2021. First report of *Tenacibaculum piscium* isolates recovered from outbreaks in Chilean salmonids, p 160. In 20th International Conference on Diseases of Fish and Shellfish. EAAP 2021, 20-23.
- Avendaño-Herrera, R., Saldarriaga-Córdoba M. & Irgang, R. 2022. Draft Genome Sequence of *Tenacibaculum ovolyticum* To-7Br, Recovered from a Farmed Atlantic Salmon (*Salmo salar*). Microbiol Resour Announc., 11: e00254-22.
- Avendaño-Herrera, R., Saldarriaga-Córdoba, M. & Irgang, R. 2023a. *Tenacibaculum bernardetii* sp. nov., isolated from Atlantic salmon (*Salmo salar*) cultured in Chile. Int. J. Syst. Evol. Microbiol., 73: 1099.
- Avendaño-Herrera, R., Mancilla, M. & Miranda, C. 2023b. Use of antimicrobials in Chilean salmon farming: Facts, myths and perspectives. Rev. Aquacult., 15: 89-111.
- Barker, D., Braden, L., Coombs, M. & Boyce, B. 2009. Preliminary studies on the isolation of bacteria from sea lice, *Lepeophtheirus salmonis*, infecting farmed salmon in British Columbia, Canada. Parasitology Research, 105: 1173-1177.
- Bridel, S., Olsen, A., Nilsen, H., Bernardet, J., Achaz, G., Avendaño-Herrera, R. & Duchaud, E. 2018. Comparative genomics of *Tenacibaculum dicentrarchi* and "Tenacibaculum finnmarkense" highlights intricate evolution of fish-pathogenic species. Genome Biology and Evolution, 10: 452-457.
- Brosnahan, C., Munday, J., Ha, H., Preece, M. & Jones, J. 2019. New Zealand rickettsia-like organism (NZ-RLO) and *Tenacibaculum maritimum*: Distribution and phylogeny in farmed Chinook salmon (*Oncorhynchus tshawytscha*). J. Fish Dis., 42: 85-95.
- Elanco. 2018. Technical Report: An Overview of Emerging Diseases in the Salmonid Farming Industry. Elanco Canadá Ltd., Canadá. Disponible en: [https://www.vetinst.no/rapporter-og-publikasjoner/rapporter/2019/an-overview-of-emerging-diseases-in-the-salmonid-farming-industry-technical-report/_/attachment/download/879fcbac-cc63-4a88-9391-fff0c18580f9:d79c3cf13885c938419d77c9cca12e5e1ab2b4d6/Emerging%20diseases%20technical%20report%20-%20january%202019.pdf].
- Frisch, K., Smage, S., Johansen, R., Duesund, H., Brevik, Ø. & Nylund, A. 2018. Pathology of experimentally induced mouthrot caused by *Tenacibaculum maritimum* in Atlantic salmon smolts. PLoS One, 13: 1-18.
- Irgang, R., Mancilla, M. & Avendaño-Herrera, R. 2021. Florfenicol and oxytetracycline susceptibility patterns in Chilean isolates of *Tenacibaculum dicentrarchi*: An emerging pathogen for farmed salmonids. J. Fish Dis., 44: 1043-1046.
- Irgang, R. & Avendaño-Herrera, R. 2022. Evaluation of the in vitro susceptibility of *Tenacibaculum dicentrarchi* to tiamulin using minimum inhibitory concentration tests. J. Fish Dis., 45: 795-799.
- Mabrok, M., Algammal, A., Sivaramasamy, E., Hetta, H., Atwah, B., Alghamdi, S., Fawzy, A., Avendaño-Herrera, R. & Rodkhum, C. 2023. Tenacibaculosis caused by *Tenacibaculum maritimum*: updated knowledge of this marine bacterial fish pathogen. Front. Cell. Infect. Microbiol., 12: 1-19.
- Olsen, A., Nilsen, H., Sandlund, N., Mikkelsen, H., Sørum, H. & Colquhoun, D. 2011. *Tenacibaculum* sp. associated with winter ulcers in sea-reared Atlantic salmon *Salmo salar*. Dis. Aquat. Organ., 94: 189-99.
- Olsen, A., Spilsberg, B., Nilsen, H., Lagesen, K., Gulla, S., Avendaño-Herrera, R., Irgang, R., Duchaud, E. & Colquhoun, D. 2020. *Tenacibaculum piscium* sp. nov., isolated from skin ulcers of sea-farmed fish, and description of *Tenacibaculum finnmarkense* sp. nov. with subdivision into genomovars *finnmarkense* and *ulcerans*. Int. J. Syst. Evol. Microbiol., 70: 6079-6090.

Riisberg, I. & Edvardsen, B. 2008. Genetic variation in bloom-forming ichthyotoxic *Pseudochattonella* species (Dictyochophyceae, Heterokonta) using nuclear, mitochondrial and plastid DNA sequence data. *European Journal of Phycology*, 43: 413-422.

Salmonexpert. 2020a. Tenacibaculum llegó para quedarse. Disponible en: [https://www.salmonexpert.cl/clado-diagnostico-incar/tenacibaculum-llego-para-quedarse/1134427?utm_source=chatgpt.com].

Salmonexpert. 2020b. Prevalencia de Tenacibaculosis en salmonicultura chilena alcanza 53%. Disponible en: [https://www.salmonexpert.cl/aquagestion-enfermedad-pcr/prevalencia-de-tenacibaculosis-en-salmonicultura-chilena-alcanza-53/1353925].

Sernapesca. 2021. Res. Ex. N° 1606 – 27.08.2021 Modifica Resolución Exenta N° 540 de 13 de marzo de 2020 y la N° 1468 de 28 de junio de 2012 y sus modificaciones que aprueba Programa Sanitario General de Manejo de Mortalidades y su Sistema de Clasificación Estandarizado Conforme a Categorías Preestablecidas (PSGM) del Servicio Nacional de Pesca y Acuicultura. Disponible en: [https://www.sernapesca.cl/normativas/res-ex-ndeg-1606-27082021-modifica-resolucion-exenta-ndeg-540-de-13-de-marzo-de/].

Sernapesca. 2023. Ficha Técnica Enfermedad: Tenacibaculosis. Servicio Nacional de Pesca y Acuicultura. Departamento de Salud Animal Victoria N° 2832, Valparaíso, Chile. Disponible en: [https://www.sernapesca.cl/app/uploads/2023/11/ficha_tecnica_tenacibaculosis_.pdf].

Sernapesca, 2024a. Informe con antecedentes sanitarios de agua dulce y mar. Primer semestre año 2024. [https://www.sernapesca.cl/app/uploads/2025/03/Informe-Sanitario-PRIMER-SEMESTRE-2024.pdf]

Sernapesca, 2024b. Informe sobre uso de antimicrobianos y antiparasitarios en la salmonicultura nacional, año 2023. [https://www.sernapesca.cl/app/uploads/2024/06/Informe-sobre-el-uso-de-antimicrobianos-y-antiparasitarios-en-la-salmonicultura-nacional-Año-2023_v20240606.pdf]

Småge, S., Brevik, Ø., Frisch, K., Watanabe, K., Duesund, H. & Nylund, A. 2017. Concurrent jellyfish blooms and tenacibaculosis outbreaks in Northern Norwegian Atlantic salmon (*Salmo salar*) farms. *PLoS One*, 12: e0187476.

Soltani, M., Munday, B. & Burke, C. 1996. The relative susceptibility of fish to infections by *Flexibacter columnaris* and *Flexibacter maritimus*. *Aquaculture*, 140: 259-264.

Spiltsberg, B., Nilsen, H., Tavnorpanich, S., Gulla, S., Jansen, M., Lagesen, K., Colquhoun, D. & Olsen, A. 2022. Tenacibaculosis in Norwegian Atlantic salmon (*Salmo salar*) cage-farmed in cold sea water is primarily associated with *Tenacibaculum finnmarkense* genomovar *finnmarkense*. *J. Fish Dis.*, 45: 523-534.

Toranzo, A., Magariños, B. & Romalde, J. 2005. A review of the main bacterial fish diseases in mariculture systems. *Aquaculture*, 246: 37-61.

Valdés, S., Irgang, R., Barros, M., Ilardi, P., Saldarriaga-Córdoba, M., Rivera-Bohle, J., Madrid, E., Gajardo-Córdova J. & Avendaño-Herrera, R. 2021. First report and characterization of *Tenacibaculum maritimum* isolates recovered from rainbow trout (*Oncorhynchus mykiss*) farmed in Chile. *J. Fish Dis.*, 44: 1481-1490.